

Mist 設定マニュアル
- WLAN -
SSIDスケジューリングの設定

ジュニパーネットワークス株式会社
2021年7月 Ver 1.0


JUNIPER 
driven by Mist AI

はじめに


- ❖ 本マニュアルは、『SSIDスケジューリングの設定』について説明します
- ❖ 手順内容は 2021年7月 時点の Mist Cloud にて確認を実施しております
実際の画面と表示が異なる場合は以下のアップデート情報をご確認下さい
<https://www.mist.com/documentation/category/product-updates/>
- ❖ 設定内容やパラメータは導入する環境や構成によって異なります
各種設定内容の詳細は下記リンクよりご確認ください
<https://www.mist.com/documentation/>
- ❖ 他にも多数の Mist 日本語マニュアルを「ソリューション&テクニカル情報サイト」に掲載しております
<https://www.juniper.net/jp/ja/local/solution-technical-information/mist.html>

無線LAN SSID Schedulingの設定

1. [Network]から[WLANs] をクリックします



2. 対象のSSIDをクリックします



無線LAN SSID Schedulingの設定

3. SSID Scheduling欄にてSSIDをブロードキャストする時間帯を設定します
以下の手順にて設定後[Done]をクリックします

SSID Scheduling

Enabled Disabled

Active Hours

<input type="checkbox"/> Sunday	Inactive
<input checked="" type="checkbox"/> Monday	<input type="text" value="9:00 AM - 12:00 PM"/>
<input checked="" type="checkbox"/> Tuesday	<input type="text" value="9:00 AM - 10:00 PM"/>
<input checked="" type="checkbox"/> Wednesday	<input type="text" value="9:00 AM - 10:00 PM"/>
<input checked="" type="checkbox"/> Thursday	<input type="text" value="9:00 AM - 10:00 PM"/>
<input checked="" type="checkbox"/> Friday	<input type="text" value="9:00 AM - 10:00 PM"/>
<input type="checkbox"/> Saturday	Inactive

Enabledを選択すると、SSID Schedulingが有効化されます

時間帯Boxをクリックすると、SSIDをブロードキャストする時間帯を曜日別に設定できます

09:00 to 12:00 x

Add Clear Done

13:00 to 22:00 x

Add Clear Done

[Add]をクリックすると、複数の時間帯を登録できます
※例:昼休憩(12時~13時)の時間帯はSSIDを吹かない設定が可能です

無線LAN SSID Schedulingの設定

4. [Save]をクリックすれば、設定完了です

The screenshot displays the Mist management console interface for configuring a WLAN. The left sidebar contains navigation options: Monitor, Marvis™, Clients, Access Points, Switches, and Gateways. The main content area is titled 'WLANs : Test-Wifi' and includes a top navigation bar with 'Create Template', 'Delete WLAN', 'Save', and 'Cancel' buttons. The 'Save' button is highlighted with a red box. The configuration form is divided into two sections: 'SSID' and 'Security'. The 'SSID' section has a text input field containing 'Test-Wifi' with a copy icon to its right. The 'WLAN ID' section has a text input field containing 'bd478bc6-e9c3-4e5c-b322-095b249ae1bf' with a copy icon to its right. The 'Security' section features a radio button selected for 'WPA-2/PSK with passphrase', followed by a password input field with a 'Reveal' link. Below this are two unchecked checkboxes: 'Enable PPSK Radius Mac Auth' and 'WPA-2/EAP (802.1X)'. At the bottom of the security section are two radio buttons: 'Open Access' and 'WPA-2/EAP (802.1X)'.

Thank you

JUNIPER
driven by Mist AI 